

Fig. 1




Fig. 3




Fig. 4






Fig. 5



```

<html>
<head><title> ITA Software Travel Browser Applet </title> </head>
<body>
<applet
  archive = /sproto/classes/Pogo85Applet.zip
    code = ITA.pogo85.Pogo85Applet
    width = 99% } 90
    height = 96% } 92
    hspace = 0 }
    vspace = 0 }
    name = qpmain>

<param name=pogocolor      value=#85ADAD>
<param name=logodir        value=/sproto/logos>
<param name=audiodir       value=/sproto/sounds>
<param name=helpurl        value=/servlet/cvgdispatch/help/hfd-intro>
<param name=datauid        value=971902950867>

</applet>

```

80 {

84

88

86

82

96

94

LOGO FILE

Fig. 7 A

100 {

```

    <applet
        archive = "/sprto/classes/Pogo85Applet.zip"
        code = "ITA.pogo85.EmptyApplet"
        width = 0 } 104
        height = 0 }
        hspace = 0 } 106
        vspace = 0 }
        name = qpxdata0
        align = middle
    >

    <param name="qpxdata0"
        value="/Qt''FLX[99fhwcq?O,gUT?mw(1,]**zQ'ThQu@10Dc:>,f7>N6pRZQ3H_j
        7RuM2)vDFP`itTA1,M]ODm)PwU`Wssv7[:CG9f'm2nH9HGUYifhx=<+3aMuE>oz0<T
        evP7pkFrY`+<LPsl8N`r9PP0(t.,8<9C7_nc.NVYA6\Kk]drr7Iay<voPs'mpj)cDB
        Hum_*RbMDz<IUdKRoH/?OJFL)zNa;qPCV?>g:D8hhxO>{zUHPqY9JtueJq)p[xAmg
        5F;JR)Rd+j)Z>:ZON8TY8`L^g)ACS*E\1*0z/<{zb-y;iO4TQpvNX81">
    </applet>
  
```

110 { 108

102

84

Fig. 7B




Fig. 8A




Fig. 8B